

INVITATION FOR QUOTATION

TEQIP-III/2018/seip/Shopping/55

09-Dec-2018

To,

The CONCERNED

Sub: Invitation for Quotations for supply of Goods

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Brief Description	Quantity	Delivery Period(In days)	Place of Delivery	Installation Requirement (if any)
1	Body Works (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
2	BRAKING (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
3	Ergonomics & Safety (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute	Yes

				of Technology) Pithoragarh-262502, Uttarakhand	
4	FRAME (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
5	Power Train (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
6	STEERING (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
7	SUSPENSION (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
8	Tool kit set & Driver safety gear (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes
9	WHEEL ASSEMBLY (High Quality Parts)	1	50	Nanhi Pari Seemant Engineering Institute (Erstwhile Seemant Institute of Technology) Pithoragarh-262502, Uttarakhand	Yes

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme[TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Quotation,
 - 3.1 The contract shall be for the full quantity as described above.
 - 3.2 Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit price.
 - 3.4 Applicable taxes shall be quoted separately for all items.
 - 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - 3.6 The Prices should be quoted in Indian Rupees only.
4. Each bidder shall submit only one quotation.
5. Quotation shall remain valid for a period not less than **30** days after the last date of quotation submission.
6. Evaluation of Quotations,

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

 - 6.1 are properly signed ; and
 - 6.2 confirm to the terms and conditions, and specifications.
7. The Quotations would be evaluated for all items together.
8. Award of contract:

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

 - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

9. Payment shall be made in Indian Rupees as follows:

Delivery and Installation - 90% of total cost

Satisfactory Acceptance - 10% of total cost

10. All supplied items are under warranty of **12** months from the date of successful acceptance of items.

11. You are requested to provide your offer latest by **12:00** hours on **24-Dec-2018** .

12. Detailed specifications of the items are at Annexure I.

13. Training Clause (if any) **No**

14. Testing/Installation Clause (if any) **Yes**

15. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.

16. Sealed quotation to be submitted/ delivered at the address mentioned below through Indian speed post only,

NANHI PARI SEEMANT ENGINEERING INSTITUTE PITHORAGARH

(Erstwhile Seemant Institute of Technology, Pithoragarh)

GIC Campus, Link Road, Pithoragarh-262 502, Uttarakhand

17. We look forward to receiving your quotation and thank you for your interest in this project.

(Authorized Signatory)

Name & Designation

Annexure I

Sr. No	Item Name	Specifications		
1	Body Works (High Quality Parts)	PARTS front nose mold right front fender mold left front fender mold RHS body mold LHS body mold floor bed glass fiber roll resin pack hardner pack mixer kit applying kit automotive putty putty hardner primer pack sanding kit paint pack thinner pack sprayer clear coat	SPECIFICATION hand crafted as per design hand crafted as per design hand crafted as per design hand crafted as per design hand crafted as per design hand crafted as per design sinterd/ woven Resin C6/M229C Resin C6/M229C Standard Standard high quality paint 721 Hardner high quality paint Sand paper high quality paint high quality paint high quality spary high quality paint	QUANTITY 1 1 1 1 1 1 1 1 6 6 3 ltr 4 1 ltr 2 1 ltr 2 ltr 2 1 ltr.
2	BRAKING (High Quality Parts)	PARTS front disc front caliper front flexible brake hose front steel brake hose front brass T Joint front brake pads front TMC bias bar rear TMC paddle assembly 60 in steel brake hose rear disc rear caliper rear flexible brake hose rear steel brake hose reat brass T Joint	SPECIFICATION 200mm, 5mm 80 mm pcd 25mm dual piston floating caliper 1.2ft 25in 3 output metric female type Asbestos 19.5mm MS 60:40 19.5mm 7:1 Laser cut steel unit MS 200mm 35mm single piston 1.2ft 30in 3 output metric female type	QUANTITY 2 2 2 2 1 2 1 1 1 1 1 2 2 2 2 2 1

		rear brake pads	Asbestos	2
		disc mount seat bolts	8.8grade	16
		braking fastners kit	8.8 grade with nylon lock nut	1
3	Ergonomics & Safety (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		driver seat	glass fiber bucket type	1
		dead paddle	AL	1
		kill switch	Fsae push rotatory type	3
		fire extinguisher	1 kg each	2
		head rest	Amk custom build	1
		roll bar padding kit	25mm	1
		firewall	1 mm aluminum	1
		chain cover	Al	1
		driver display	12 volt electrical	1
		LED tail light	12 volt electrical	1
		impact attenuator	honey comb al sandwich	1
4	FRAME (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		25x3 mm round tube	4130 MS	140 ft
		25x1.5 mm round tube	4130 MS	50 ft
		19x2 mm round tube	4130 MS	20 ft
		1 mm ms sheet	MS	4x8 ft
		1 in ply wood sheet	standard	4x8 ft
		2x2 in wood bar	standard	22 ft
		fasten c clamp	steel	50
5	Power Train (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		Motor	(PMDC) 52 KW, copper	1
		Controller	48 volt, 24 tube	1
		wiring harness	copper/al	1
		circuit breakers	48 volt 200 amp-hr	2
		battery pack	LI-Po (48V,200Amp-hr)	1
		controller cooling unit	12 volt forced convection	1
		battery heat management system	48v, with digital output	1
		chain differential	12 inch open type	1
		differential CV	2 pod 3inch tempered	2
		drive shaft	19mm	2
		chain kit	12.5 mm pitch	1
		controller cables kit	Inner & outer unit	1
		drive shaft boot	Neoprene	2
6	STEERING	PARTS	SPECIFICATION	QUANTITY
		Steering wheel	10 inch, flat bottom aluminum wheel	1

	(High Quality Parts)	with 6 PCD Holes and Pu wrap		
		quick release wheel hub	20mm Splined injection molded unit made from 6063 AL	1
		steering column	15mm splined unit of EN 8 with one universal joint	1
		column universal joint	10mm cross dia mild steel solid with fine splines on shank for minute adjustments.	2
		steering rack & pinion	2:1 ratio with 4 inch rack guide unit of alloy steel, aluminum pinion housing, 18 teeth pinion, 15mm rack diameter, Pos 10 tie rod fixture.	1
		Tie rod	20 mm mild steel hollow tube with 10 mm threading on both end.	2
		rod ends	Stainless steel Pos 10 unit with brass bearing.	4
		steering fastners kit	8.8 metric grade with nylon lock nut	1
7	SUSPENSION (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		front spring	Stiffness 22 N/MM, 18 cm length, 6mm dia powdered coated coil.	2
		front damper	Hydraulic, 15mm piston diameter, 18 cm eye to eye length	2
		front bell crank	Laser cut 8 mm 1:1 motion ratio unit with pos 10 and 6003 pivot bearing mount,	2
		bell crank bearings	6000 with dual rubber seals for dust protection	4
		bell crank-frame mount bracket	MS laser cut plate 25mm and 10 mm parallel holes.	2
		front push rod	20 mm Hollow MS tube with 10 mm female thread on both end.	2
		front push rod ball ends	Stainless steel 10mm with brass inserts.	4
		front suspension fastners kit	8.8 grade with nylon lock nut	1
		front wishbone bushings	10 mm shank , 22 mm OD	16
		front wishbone ball ends	Machined nylon with 5 mm collar M12 stainless steel ball with brass bearings.	4
		ball end inserts	MS laser cut plate 25mm and 10 mm parallel holes.	4
		front arm-pushrod mount bracket	MS laser cut plate 25mm and 10 mm parallel holes. Laser cut MS unit	2
		rear spring	Stiffness 34 N/MM, 18 cm length, 6mm dia powdered coated coil	2

		rear damper	Hydraulic, 15mm piston diameter, 18 cm eye to eye length	2
		rear bell crank	Laser cut 8 mm 1:1 motion ratio unit with pos 10 and 6003 pivot bearing mount.	2
		rear push rod	20 mm Hollow MS tube with 10 mm female thread on both end.	4
		rear push rod ball ends	Stainless steel 10mm with brass inserts.	4
		rear suspension fasteners kit	8.8 grade with nylon lock nut	1
		suspension lift points	6mm Forged MS plate with 25 mm and 10 mm parallel holes.	58
8	Tool kit set & Driver safety gear (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		Spanner kit	High quality items	1
		Ratchet kit	High quality items	1
		L- key set	High quality items	1
		Screwdriver kit	High quality items	1
		Driver safety gear (FIA race suit)	High quality items	1
9	WHEEL ASSEMBLY (High Quality Parts)	PARTS	SPECIFICATION	QUANTITY
		front upright	8 in eye to eye, bi mount, dual layer laser cut MS with bearing seat and caliper mount.	2
		front hub	100mmx4 PCD 6063 AL unit with brake rotor mount (PCD80 mm)	2
		front spindle	30mm MS Solid with one end having 6mm collar and other end with 22 mm lock nut unit.	2
		front wheel bearing	gel type hub bearing , ID 30 mm, OD 75mm and width 45mm	2
		front wheel bearing lock	71mm Forged steel	2
		spindle lock unit	22 mm nylon lock nut with washer	2
		front wheel studs	8.8 grade, 12 mm x 30 mm unit with tapered edge nut.	8
		front wheel nut	8.8 grade 12 mm fine thread tapered edge	8
		front alloy rim	4 in wide R13 forged steel rim.	2
		front tire	Semi sleek R13 with low aspect ratio.	2
		front wheel air valve	rubber	2
		rear upright	8 in eye to eye, tri mount, dual layer laser cut MS with bearing seat and caliper mount.	2
		rear hub	100mmx4 PCD 6063 AL unit with brake rotor mount (PCD80 mm)	2
		rear CV cum Spindle	Bi pod 75mm harden steel with bi sliders block	2
		rear wheel bearing	hub/ gel type	2
		rear wheel bearing lock	forged	2
		rear cv locking unit	nylon lock nut with washer	2

		rear wheel studs	8.8 grade	8
		rear wheel nut	8.8 grade	8
		rear alloy rim	4 in ch wide R13	2
		rear tire	semi sleek R13	2
		rear wheel air valve	rubber	2
		wheel assembly fasteners kit	8.8 grade with nylon lock nut	1

Additional Terms and Conditions:

- FREE installations and FREE Demonstration at College.
- At the time of technical evaluation of products, the vendor may be called for the demonstration if required.
- Quotation will be evaluated for the whole package.
- The manufacturer/authorized dealer should submit three purchase order along with satisfactory work completion certificate for similar types of items supplied to other Engineering colleges.
- All manufacturer/authorized dealer need to mention the make and model no for the item quoted and authorized dealer has to submit the recent valid authorization certificate from the original manufacturer if any.
- Pre dispatch inspection may be carried out if necessary for certain goods at the manufacturer site.

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Date: _____

To:

Sl. No.	Description of goods (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
						In %	In figures (B)
Total Cost							

Gross Total Cost (A+B): Rs. _____

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. _____ (Amount in figures) (Rupees _____ amount in words) within the period specified in the Invitation for Quotations.

We confirm that the normal commercial warranty/ guarantee of ————— months shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the Invitation Letter.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

Name: _____

Address: _____

Contact No: _____